SEPARATE

OF A PAPER PUBLISHED BY

THE INTERNATIONAL TRUST FOR ZOOLOGICAL NOMENCLATURE
ON BEHALF OF

THE INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE

This paper contains an application relating to a question of zoological nomenclature which has been submitted to the International Commission on Zoological Nomenclature for decision. As a preliminary, this paper has been published in the "Bulletin of Zoological Nomenclature". The volume in which this paper was so published and the date of publication are shown at the foot of the first page of the paper.

- 2. The object of publishing applications in the "Bulletin of Zoological Nomenclature" is to provide an opportunity to interested specialists to submit comments to the Commission on the action recommended in the applications so published. For this purpose an interval of six months from the date of publication is allowed to elapse before the International Commission starts to vote on any given application.
- 3. One of the principal objects of the International Trust for Zoological Nomenclature in providing authors with separates (off-prints) of applications published in the "Bulletin" is to secure a rapid and wide distribution of those applications among interested specialists, in order to provide to those specialists an opportunity of commenting upon the applications in question before a decision is reached by the International Commission.
- 4. Recipients of separates of papers published in the "Bulletin" are therefore particularly requested to furnish their comments on the action proposed as soon as possible to FRANCIS HEMMING, Secretary to the International Commission on Zoological Nomenclature, 28 Park Village East, Regent's Park, London, N.W.1, England.

Fairchild, G. B., et al.

Proposed use of the plenary powers to validate the generic names ("Clashella" Bezzi, 1913 (Class Insecta, Order Diptera) and "Lophiotherium" yewais, 1850 (Class Mammalia).

Bull. Zool. Nomencl. 12 (7/8): 195-99, Aug. 1956.

PROPOSED USE OF THE PLENARY POWERS TO VALIDATE THE GENERIC NAMES "ELAPHELLA" BEZZI, 1913 (CLASS INSECTA, ORDER DIPTERA) AND "LOPHIOTHERIUM" GERVAIS, 1850 (CLASS MAMMALIA)

By

G. B. FAIRCHILD

(Gorgas Memorial Laboratory, Panama, R. de Panama)

CORNELIUS B. PHILIP

(Rocky Mountain Laboratory, Hamilton, Montana, U.S.A.)

I. M. MACKERRAS

(Queensland Institute of Medical Research, Brisbane, Australia)

and

H. OLDROYD

(British Museum (Natural History), London)

(Commission Reference : Z.N.(S). 1077)

The object of the present application is to ask the International Commission on Zoological Nomenclature to use its Plenary Powers to validate the well-known generic name *Elaphella* Bezzi, 1913 (Class Insecta, Order Diptera) by suppressing the totally overlooked name *Diplocus* Blanchard, 1845. The facts of this case are set out below.

- 2. The genus with which the present application is concerned was first named in 1834 when Macquart published the name Dicrania for it (Macquart, 1834, Roret's Suites à Buffon, Dipt. 1:195). Macquart placed two nominal species in this genus, namely Pangonia cervus Wiedemann, 1828 (Aussereurop. Zweifl. Insekt. 1:94) and Pangonia furcata Wiedmann, 1828 (ibid. 1:99). Macquart did not designate a type species for this genus.
- 3. The name Dicrania Macquart, 1834, is invalid as being a junior homonym of Dicrania Lepeletier & Serville, 1828 (Ency. meth., Ins. 10(2): 371) (Class Insecta, Order Coleoptera). On this account the name Dicrania Macquart was replaced in 1901 (Trans. amer. ent. Soc. 27: 135) by Hunter who gave the name Dicranomyia. Unfortunately, the name Dicranomyia Hunter is

invalid, being a junior homonym of Dicranomyia Stephens, 1829 (Nom. Brit. Ins.: 53). This genus was renamed twice in 1913: first by Bezzi (Soc. ent. 28(13): 56), who called it Elaphella, second, by Enderlein (Zool. Anz. 42: 253), who called it Allodicrania. Elaphella was published as nom. nov. for Dicranomyia Hunter, Allodicrania as a nom. nov. for Dicrania Macquart. Fortunately, there is no difficulty in establishing the relative priority of these names, for the parts of the serials in which they were published are fully dated, the part of the Soc. ent. containing the name Elaphella bearing the date 5th July 1913, that of the Zool. Anz. containing the name Allodicrania bearing the date 18th July 1913.

- 4. In the forty-two years which have since elapsed this genus has been continuously known by the name Elaphella. Authors who have used this name include: Enderlein, 1925 (Mitt. zool. Mus. Berlin 11(2): 298); Krober, 1930 (Zool. Anz. 88: 309); Borgmeier, 1933 (Rev. Ent. 3: 292); Krober, 1934 (Rev. Ent. 4: 235); Bezzi, 1920 (Ann. ent. Soc. Amer. 13: 408); Bequaert & Renjifo-Salcedo, 1946 (Psyche 53: 54).
- 5. Unfortunately, the name Elaphella Bezzi is itself invalid, there being a much older but hitherto totally overlooked substitute name for Dicrania Macquart, to which attention was drawn by Neave in 1939 (Nomencl. zool. 2:108). This is the name Diplocus Blanchard, 1845 (Hist. Ins. 2:470). This name was published as a nom. nov. for Dicrania in a perfectly regular manner and its availability cannot be questioned. No reference to the name Diplocus can, however, be found in the whole of the tabanid literature since the time of its publication. It was overlooked in the following world catalogues: Kertész, 1900, Catalogus Tabanidarum Orbis Terrarum Universi. Budapest, 79 pp.; Kertész, 1908, Cat. Dipt. Hucusque descript., Vol. III, 367 pp.; Surcouf, 1921, Wytsman's Genera Insectorum, Fasc. 175, Diptera Tabanidae, Bruxelles, 181 pp.; Krober, 1934, Catalogo do Tabanidae, etc., (Revista entomologica 2: 222-276). In addition, the name Diplocus was missed in several private catalogues also, for example, in the personal annotated copies of Kertész from both Austen and Ricardo (British Museum (Natural History)) now in the hands of Oldroyd and Fairchild respectively, and in a very complete generic catalogue compiled by J. Bequaert (Harvard Museum of Comparative Zoology). The name is not mentioned in the extensive generic revisions of Neotropical Tabanidae published by Adolpho Lutz from 1905 to 1937 in Brazil.
- 6. The species Pangonia cervus Wiedemann has been treated by all authors as representing the present genus, whatever the name applied to it. It was first formally made the type species in 1913 (Zool. Anz. 42:253) when Enderlein, not knowing of the existence of Elaphella, made it the type species of Allodicrania, thereby automatically making it the type species also of Elaphella Bezzi and of all the other substitute names for Dicrania Macquart.

- 7. The name Elaphella cervus (Wiedemann) has become thoroughly established through continuous usage and is familiar to all workers in this group, while the name Diplocus cervus (Wiedemann) has never been used for it and, if now introduced would be unfamiliar and confusing. The species concerned is a well-known insect in Suriham, Brazil, Peru and Colombia. It has been discussed by at least fourteen authors, in some cases in more than one publication. It is considered therefore that in the interest of nomenclatorial stability it is desirable that the Commission should validate the name Elaphella Bezzi and that, having done so, it should place that name on the Official List of Generic Names in Zoology. The objectively invalid names discussed in the present paper should at the same time be placed on the Official Index of Rejected and Invalid Names. To these should be added the name Stichocera Hine, 1920 (Ohio J. Sci. 20: 185), the most recent of the names published as substitutes for Dicranomyia Hunter.
- 8. In considering the proposal that the generic name Diplocus Blanchard, 1845, should be suppressed in favour of the name Elaphella Bezzi, 1913, the Commission will no doubt wish to consider also the generic name Diplocus Pictet, 1853 (Traité Paléont. (ed. 2) 1:340), the status of which might be affected by the action recommended. The name Diplocus Pictet applies to a fossil mammal and on the action to be taken as regards this name the applicants have consulted Dr. A. Tindell Hopwood (British Museum (Natural History)) who has both furnished the information given below in regard to the name Diplocus Pictet and in addition has advised how the proposals in regard to the Diptera name Diplocus Blanchard may be harmonised with the mammal side of the present case.
 - 9. The following is the statement kindly furnished by Dr. Hopwood:-
 - (a) The type species of Diplocus Pictet is the nominal species Diplocus gervaisii Pictet, 1853 (: 340). The type specimen of this species is the type specimen also of Lophiotherium cervulum Gervais, 1850 (Zool. Paléont. franc. (ed. 1): Explic., pl. 11, figs. 10, 10a, 11, 12). Thus, the specific names gervaisii Pictet and cervulum Gervais are objective synonyms of one another. This species was referred to again by Gervais in 1859 in the Second Edition of the Zool. Paléont. franc. (: 114) and on this occasion Gervais cited as a synonym Diplocus gervaisii Pictet, which, however, he attributed to "Aymard in Pictet". In both editions of the above work Gervais treated the specimen illustrated on figs. 10 and 10a on his plate 11 as the principal specimen of his nominal species Lophiotherium cervulum of 1850. That specimen is accordingly here selected as the lectotype of that species. Similarly, the generic name Diplocus Pictet and Lophiotherium Gervais (which was described jointly with its type species, Lophiotherium cervulum) are objective synonyms of one another. (It should be noted that Sherborn and later Neave were in error in attributing the name Lophiotherium Gervais to 1849 (C. R. Acad. Sci., Paris 29: 381, 573), for as there published this generic name was a nomen nudum.)

- (b) The name Lophiotherium Gervais, 1850, is however, a junior homonym of Lophiotherium Fischer de Waldheim, 1829 (Nouv. Mém. Soc. imp. Nat. Moscou 1:284). This name was given by Fischer to a genus caelebs which Sherborn (1927, Index Anim., Pars secund.: 3669) identified with Lophiodon Cuvier (G.), [1821–1822] (Mém. Acad. roy. Sci., Paris 5 (Hist. Ac.): 161).
- (c) Fischer's vagaries seem to have been forgotten and the name Lophiotherium Fischer has disappeared from the literature. On the other hand, the name Lophiotherium Gervais, 1850, is in universal use and it would be most undesirable that this arrangement should be disturbed on technical nomenclatorial grounds. It is accordingly requested that, when the Commission suppresses the name Diplocus Blanchard, 1845, in the interests of the name Elaphella Bezzi, 1913, in the Order Diptera, it should (a) suppress also the long-forgotten name Lophiotherium Fischer de Waldheim, 1829, for the purposes both of the Law of Priority and of the Law of Homonymy and (b) limit the suppression of the name Diplocus Blanchard to suppression for the purposes of the Law of Priority, thereby securing that the name Diplocus Pictet, 1853, remains invalid as a junior homonym of Diplocus Blanchard, 1845.
- 10. No family-group name problems arise in connection with either part of the present application, for the genus Elaphella Bezzi in Diptera is currently placed in the family TABANIDAE. As regards Lophiotherium Gervais, Dr. Hopwood has informed us that this genus has never been taken as the type genus of a family-group taxon. It is currently placed in the family PALEOTHERIDAE of the Order Perissodactyla. This family consists of a rather aberrant group of mammals sharing some characters with primitive horses and others with primitive tapirs. The genus died out at the end of the Eocene, and the family in the Lower Oligocene.
- 11. For the reasons set forth in the present application the International Commission on Zoological Nomenclature is asked:—
 - (1) to use its Plenary Powers :-
 - (a) to suppress the generic name Diplocus Blanchard, 1845 (Class Insecta, Order Diptera) for the purposes of the Law of Priority but not for those of the Law of Homonymy;
 - (b) to suppress the generic name Lophiotherium Fischer de Waldheim, 1829 (Class Mammalia) for the purposes both of the Law of Priority and of the Law of Homonymy;
 - (2) to place the under-mentioned generic names on the Official List of Generic Names in Zoology:—
 - (a) Elaphella Bezzi, 1913, as validated under the Plenary Powers under (1)(a) above (gender: feminine) (type species, under Rule (f) in Article 30 by designation by Enderlein (1913) as the

- type species of the objectively identical nominal genus Allodicrania Enderlein, 1913: Pangonia cervus Wiedemann, 1828) (Class Insecta, Order Diptera);
- (b) Lophiotherium Gervais, 1850, as validated under the Plenary Powers under (1)(b) above (gender: neuter) (type species, by monotypy: Lophiotherium cervulum Gervais, 1850, as defined by the lectotype selected by Hopwood in paragraph 9(a) of the present application) (Class Mammalia);
- (3) to place the under-mentioned specific names on the Official List of Specific Names in Zoology:—
 - (a) cervus Wiedemann, 1828, as published in the combination Pangonia cervus (specific name of type species of Elaphella Bezzi, 1913);
 - (b) cervulum Gervais, 1850, as published in the combination Lophiotherium cervulum and as defined by the lectotype specified in (2)(b) above (specific name of type species of Lophiotherium Gervais, 1850);
- (4) to place the under-mentioned generic names on the Official Index of Rejected and Invalid Generic Names in Zoology:—
 - (a) Allodicrania Enderlein, 1913 (a junior objective synonym of Elaphella Bezzi, 1913);
 - (b) Dicrania Macquart, 1834 (a junior homonym of Dicrania Lepeletier & Serville, 1828);
 - (c) Dicranomyia Hunter, 1901 (a junior homonym of Dicranomyia Stephens, 1829);
 - (d) Diplocus Blanchard, 1845, as suppressed under the Plenary Powers under (1)(a) above;
 - (e) Stichocera Hine, 1920 (a junior objective synonym of Elaphella Bezzi, 1913);
 - (f) Lophiotherium Fischer de Waldheim, 1829, as suppressed under the Plenary Powers under (1)(b) above;
 - (g) Lophiotherium Gervais, 1849 (a nomen nudum);
 - (h) Diplocus Pictet, 1853 (a junior homonym of Diplocus Blanchard, 1845, and a junior objective synonym of Lophiotherium Gervais, 1850);
- (5) to place the under-mentioned specific name on the Official Index of Rejected and Invalid Specific Names in Zoology:—gervaisii Pictet, 1853, as published in the combination Diplocus gervaisii (a junior objective synonym of cervulum Gervais, 1850, as published in the combination Lophiotherium cervulum).